

POISON

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

AQUASTAR MAX 200SC*

TERMITICIDE AND INSECTICIDE

ACTIVE CONSTITUENT: 200 g/L BIFENTHRIN

GROUP 3A INSECTICIDE

For the control of a range of urban interior and exterior pests, for protection of structures from subterranean termite damage and for the control of termites as specified in the Directions for Use Table.

IMPORTANT: RESTRICTED CHEMICAL PRODUCT ONLY TO BE SUPPLIED TO, OR USED BY, AN AUTHORISED PERSON

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT



Contents 20 Litres

APVMA Approval No: 81703/20L/103773
*Aquastar Max 200 SC is a registered trademark of PCT INTERNATIONAL PTY LTD
(PCT Holdings Pty Ltd ABN 11 099 023 962)
5/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pcti.com.au>
CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

CONDITIONS OF USE BY AUTHORISED PERSONS

The Pest Control Operator must be licensed under state legislation.

The Pest Control Operator must notify site supervisor, if any, and workers who come into contact with uncovered treated soil prior to laying the moisture membrane, to wear appropriate personal protective equipment and to observe re-entry requirements. (For personal protective equipment, refer to "Safety Directions" and for re-entry refer to "Precautions and Re-Entry Period" below).

PRECAUTIONS AND RE-ENTRY PERIOD

DO NOT spray directly on humans, pets or animals. Avoid contact with food, food utensils or preparation surfaces.

Re-entry Period

Pre-Construction: Re-entry - DO NOT allow entry into uncovered treated areas until the spray has dried. When prior entry is necessary, wear cotton overalls buttoned to the neck and wrist, elbow-length PVC, neoprene or nitrile gloves and chemical resistant footwear. Clothing must be laundered after each day's use.

Post Construction and Urban Pest Management: DO NOT allow people and pets to enter treated areas until the spray has dried (normally 3-4 hours) and ventilate buildings before reoccupying. When prior entry is necessary, wear cotton overalls buttoned to the neck and wrist, elbow-length PVC, neoprene or nitrile gloves and chemical resistant footwear. Clothing must be laundered after each day's use.

STORAGE, SPILLAGE AND DISPOSAL

Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Dispose of waste as indicated below or according to the Australian Standard AS 2507 - Storage and Handling of Pesticides. Do NOT allow spilled product to enter sewers, drains, creeks or any other waterways.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

Do not bury waste or surplus product. Dispose of undiluted waste either by dilution and use according to the Directions for Use table or returning to the point of purchase in the original container for controlled disposal. Dispose of diluted surplus product by using according to the Directions for Use table. Do not re-use empty container.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply or designated collection point for refill or storage.

SAFETY DIRECTIONS

Poisonous if swallowed. Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. When opening container, mixing and loading and preparing the spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow length chemical resistant gloves. When using in enclosed areas, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length chemical resistant gloves and half facepiece respirator with combined dust and gas cartridge. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, contaminated clothing, face shield or goggles and respirator. If rubber wash with detergent and warm water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet for Aquastar Max 200 SC Termiticide & Insecticide which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 677 or visit our web site at <http://pct.au.com>

May cause respiratory irritation.

NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

APVMA Approval No: 81703/20L/103773

D.O.M.

Batch No.: